

## HM-20322ZC Battery Charger Base



### ▪ Key Feature

- Compatible with SP series batteries
- Charge 2 batteries at the same time
- Three LED indicator lights to let you know the status of the charging base and the batteries
- Multiples plugs for international use, including 4 types of international adapters, US, UK, EU, AU
- Batteries not included


### ▪ Specification

General	
Power Input	AC 100~240V/1.6A
Power Output	DC 20V/3.25A
Battery Indicator	Solid red: charging base is abnormal, solid green: charging base is power on
Charging Base Indicator	Solid red: battery is charging, solid green: battery is fully charged
Included Components	Dual bay charging base x 1, power supply x 1, International plugs x 4 (US, UK, EU, AU)
Packaging Weight	350 g 0.772 lb)
Package Dimensions	130.4mm × 67.9mm × 39.1mm (5.13" × 2.67" × 1.54")

### ▪ Available Model


HM-20322ZC

▪ Dimension



Unit: mm (inch)



 HIKMICRO Thermography  hikmicro\_thermography  HIKMICRO Thermography  HIKMICRO  info@hikmicrotech.com  <http://hikmicrotech.com/en>

© 2023 Hangzhou HIKMICRO Sensing Technology Co., Ltd. All Rights Reserved.  
Data subject to change without notice!