HIKMICRO


Reticle Catalogue

Thermal Scope

THUNDER 2.0 | TH35P 2.0
PANTHER 2.0 | P35L 2.0




Reticle 1




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	94.0	273.5
Section B	94.0	273.5
Section C	19.0	55.2
Section D	5.7	16.7
Section E	5.7	16.7
Section F	19.0	55.2
Section G	6.2	18.0

Reticle 2




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	112.5	327.4
Section B	6.2	18.0
Section C	105.0	305.6

Reticle 3




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	112.5	327.4
Section B	6.2	18.0
Section C	105.5	306.9

Reticle 4




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	87.8	255.5
Section B	79.9	232.4
Section C	19.0	55.2
Section D	4.0	11.6
Section E	24.7	71.9
Section F	2.2	6.4
Section G	2.2	6.4
Section H	2.2	6.4
Section I	1.3	3.9
Section J	1.3	3.9
Section K	6.6	19.3
Section L	6.6	19.3
Section M	6.2	18.0
Section N	5.3	15.4
Section O	3.5	10.3

Reticle 5




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	3.1	9.0
Section B	3.1	9.0
Section C	1.3	3.9
Section D	0.9	2.6
Section E	3.5	10.3
Section F	3.5	10.3

Reticle 6




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	1.3	3.9
Section B	5.3	15.4
Section C	5.3	15.4
Section D	1.3	3.9

Reticle 7




Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	113.0	328.7
Section B	91.4	265.8
Section C	21.6	62.9
Section D	3.1	9.0
Section E	6.2	18.0
Section F	3.5	10.3
Section G	5.3	15.4
Section H	7.9	23.1
Section I	3.5	10.3
Section J	5.3	15.4

Reticle 8



Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	99.7	290.2
Section B	5.7	16.7
Section C	26.0	75.8

Reticle 9



Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	2.6	7.7
Section B	5.7	16.7
Section C	26.5	77.0

Reticle 10

A



Reticle parameters (for 1x magnification)	MOA	cm@100m
Section A	4.9	14.1

HIKMICRO

Hikmicro Hunting.Global

hikmicro hunting.global

HIKMICRO Outdoor

HIKMICRO

info@hikmicrotech.com

http://hikmicrotech.com/en