


Reticle Catalogue

Digital Day&Night Vision Scope

ALPEX 4K Lite | A40EL | A40E




Reticle 1




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	101.1	294.0
Section B	101.1	294.0
Section C	21.0	61.0
Section D	6.5	19.0
Section E	6.5	19.0
Section F	21.0	61.0
Section G	1.0	3.0

Reticle 2




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	122.7	357.0
Section B	1.0	3.0
Section C	113.1	329.0

Reticle 3




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	122.7	357.0
Section B	1.0	3.0
Section C	113.1	329.0

Reticle 4




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	85.9	250.0
Section B	85.9	250.0
Section C	21.0	61.0
Section D	4.5	13.0
Section E	26.8	78.0
Section F	2.4	7.0
Section G	2.4	7.0
Section H	2.4	7.0
Section I	1.4	4.0
Section J	1.4	4.0
Section K	3.4	9.8
Section L	3.4	9.8
Section M	1.0	3.0
Section N	4.1	12.0
Section O	2.8	8.0

Reticle 5




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	3.1	9.0
Section B	3.1	9.0
Section C	3.1	9.0
Section D	1.7	5.0
Section E	3.8	11.0
Section F	3.8	11.0

Reticle 6




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	1.7	5.0
Section B	5.5	16.0
Section C	5.5	16.0
Section D	1.7	5.0

Reticle 7




Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	122.0	355.0
Section B	99.0	288.0
Section C	23.7	69.0
Section D	3.1	9.0
Section E	1.0	3.0
Section F	3.4	10.0
Section G	5.3	15.3
Section H	8.0	23.3
Section I	2.8	8.0
Section J	4.1	12.0

Reticle 8



Reticle parameters (For Base Mag.)	M0A	cm@100m
Section A	109.0	317.0
Section B	1.0	3.0
Section C	29.2	85.0

Reticle 9



Reticle parameters (For Base Mag.)	MOA	cm@100m
Section A	2.4	7.0
Section B	1.0	3.0
Section C	29.2	85.0

Reticle 10



Reticle parameters (For Base Mag.)	M0A	cm@100m
Section A	5.2	15.0

