



HM-5202ZC

Battery Charger

Dual bay battery charger for M Series batteries, including power supply with multi plugs.

Key Features

- Compatible with M series batteries
- Charge 2 batteries at the same time
- Three LED indicator lights to let you know the status of the charging base and the batteries
- Multiples plugs for international use, including 4 types of international adapters, US, UK, EU, AU
- Batteries not included

Specification


| GENERAL | |
|-------------------------|--|
| POWER INPUT | 100 to 240 VAC /0.7 A |
| POWER OUTPUT | 12 VDC /2 A |
| BATTERY INDICATOR | Solid red: charging base is abnormal, solid green: charging base is power on |
| CHARGING BASE INDICATOR | Solid red: battery is charging, solid green: battery is fully charged |
| INCLUDED COMPONENTS | Dual bay charging base × 1, power supply × 1, International plugs × 4 (US, UK, EU, AU) |
| PACKAGING WEIGHT | 500 g (1.10 lb) |
| PACKAGE DIMENSIONS | 155 mm × 155 mm × 95 mm (6.10" × 6.10" × 3.74") |

Please note that product specifications are subject to change without notice. Please check <https://www.hikmicrotech.com> for the latest changes.

Ordering Model

HM-5202ZC

Dimension



Unit: mm (Inch)

COMPLIANCE NOTICE: The thermal series products might be subject to export controls in various countries or regions, including without limitation, the United States, European Union, United Kingdom and/or other member countries of the Wassenaar Arrangement. Please consult your professional legal or compliance expert or local government authorities for any necessary export license requirements if you intend to transfer, export, re-export the thermal series products between different countries.



 HIKMICRO Thermography  hikmicro_thermography  HIKMICRO Thermography  HIKMICRO  info@hikmicrotech.com  <http://hikmicrotech.com/en>

room 313, unit B, building 2, 399 danfeng road, xixing subdistrict, binjiang district, hangzhou, zhejiang
@hangzhou microimage software co., Ltd .2020 | data subject to change without notice!